
ELECTRIC CAR

INSTALL AND USE INSTRUCTION

STANDARDS:

GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014 GB 19865-2005



Please read the instuctions carefully before use this product. It will tell you the correct installation steps and methods of operation. To avoid incorrect operation would cause damage to the product or hurt your baby. Please keep this manual properly and place it where easy to take.

SPECIFICATION

	TWO MOTORS		
Storage battery	12V4.5AH		
Motor	12V20W		
Charger	Input AC220V-240V.50HZ- 60HZ.Output DC12V700mA		
Maxmium load	30KG		
Work time	About 1 hour usable after fully charged		
Speed	2-3KM/H		
Suitable age	37-95 months		
R/C distance/battery	15±5M/AA1.5V.2 batteries		



NOTE FOR CHARGING

WWW.LEANTOYS.PL

- 1.Please make it fully charged when use it in the first time.Recharge socket is on the seat's bottom right.When charging, insert the plug into the charging hole firstly,then plug the charger into the outlet.(The process should be finished by audlts.Don't let your children touch the power supply.)
- 2. When the electric vehicle's speed slow down obviously, please recharge immediately. Keep charging for 8 to 12 hours, not more than 20 hours.
- 3. During charging, if the charger or storage battery emits heat(below 60°C), it is normal.
- 4. The electric car must use its dedicated charger and battery in case to damage the charger, battery and electric circuit.
- 5.No any operation when charging.
- 6.Don't mixed use with old and new battery or different type's battery.
- 7.Please check if the circuit is connected correct when charging.
- 8. When the electric car isn't used for a long time, please charge it once a month at least.

FUNCTIONAL FEATURES

The unique appearance	The latest MP3 function configuration
The shocking lights music visual sense	The voltage display function
Volume regulator	

THE INSTRUCTIONS OF PACKING AND COMPONENT

1.Car body	1pc	2.Steering wheel	1pc
3.Front wheels	2pcs	4.Rear wheels	2pcs
5.Reflector	1couple	6.Seat	1pc
7.Wheel cap	4pcs	8.Windscreen	1pc
9 Car window	1pc	10.Battery charger	1pc
11.Remote control	1pc	12.Rear Wing	1pc
13.Manual	1book	14.Screw bag	1bag

Remarks: Please check the components carefully after open the packing.

THE RULES OF SAFETY TO USE

The vehicle is unsuitable for children less than 3 years old to use.

The vehicle must be assembled by adults. When assembling, please check the components and lines

Forbidden to use this vehicle in the dangerous place such as street, road, landslides etc.

Children use it must under the supervisor of adults.

Please don't change the compenents at random when using.

When using this vehicle, please don't change the forward and backward function frequently.

WWW.LEANTOYS.PL

Please regular to check the battery, lines, plug and other parts whether have any damages. If found they were broken, please stop use the car at once until it was fixed.


Don't charge the non-rechargeable battery.

Put batteries in correct polarity.


Take out the battery without electricity from the toy.

Power supply terminal can't be short circuit.

Battery installation diagram of remote control



INSTALLATION INSTRUCTION



WWW.LEANTOYS.PL

Number	1	2	3	4	5	6
Name	Car body	Windscreen	Steering	Relfector	Car window	Rear Wing
Number	7	8	9	10	11	
Name	Motor	Wheel	Wheel cover	Gasket	Socket pin	

Assembling Notices:

Please assemble the vehicle before using and must be assembled by adults. It may takes around 30 minutes for assembling.


Small parts are choking danger, children are strictly prohibited to play. Assembling tools: screwdriver, vise


Please check all the components and parts' quantity before assembling. To avoid death of suffocation, keep the plastic bags properly and forbid children to play.

Assembling Steps:

- 1. Assemble rear wheels: First assemble the motor at one side of the rear axle. Put the motor into the hole on the car body, insert the motor connection cable and connect it to the plug on the car. Then add a club shape plastic fitting and the wheel. Assemble a gasket and fixed by socket pin, put on the wheel cover. For the other side, it is the same.
- 2. Assemble front wheels: First assemble a gasket on the front axle, then add the wheel, assemble a gasket and fixed by socket pin, add the wheel cover.
- 3. Assemble windscreen and car windows: Insert the windscreen into the gap of the dashboard. Fix the car windows with three screws for each.
- 4. Assemble reflectors and rear wings: First distinguish left and right reflectors, then insert them into the car body till the bottom of the holes. Insert the rear wing to the back of the car.
- 5. Connect the power wires: Connect the motor wires to the motor plug on the car body. Connect the power wire to the battery, red wire to the positive plug, black wire to the negative plug, start the power button to check it is connected well.
- 6. Assemble the steering wheel: Conneting the wires on the steering wheel and the dashboard, open the power switch on the dashboard to test whether the function of left and right button on the steering wheel is normal, then take off the screw on the steering shaft, put the steering wheel onto the steering shaft, insert and tighten the screws.
- 7. Assemble the seat: The hook on the seat back shall be aimed the hole and hooked until the seat is fixed., screw holes aligned with the assembled hole and use screws to fixed.

THE SWITCH FUNCTIONAL DIAGRAM





TROUBLESHOOTING METHOD

PROBLEM	REASON ANALYSIS	SOLUTION		
The car can't move	The battery voltage is too low	Recharge the battery immediately		
	Damage to the battery	Change a new battery		
	Line connectors slide	Reconnect the connector		
	Damaget to the motor	Repair or replace it from the dealers		
	Wheel bolt is missing	Equipped with new bolt		
	Damage to the fuse	Replace the fuse		
	Power can't start	Open the main power switch		
The car's speed is low	The battery is not full of electricity	Recharge the battery fully		
	Damage to the motor	Replace the motor		
	The road is not flat	drive on the flat road		
	Load capactiry is too h eavy	To reduce the load capacity		
	Battery is old	Change a new battery		
	Damage to the battery charger	Change new battery charger		
G1 ('1	Damage to the charger socket	Change new charger socket		
Short mileage	Charger without electricity	plug into the power supply		
The car shakes when it is driven	Poor contact of the motor	Recharge the battery fully		
	Battery is too old	Change a new battery		
There was a noise when	Damage to the gear box or short of oil	Replace the gear box or add oil		
the car is driven	Damage to the motor	Change the new motor		

USING CAUTIONS

The product should be assembled by adults first, then could be used.

The children under 3 years old are forbidden to use this product.

Batteries should be charged by adults. Before use the product, must charge the batteries first.

The first time you use the product, please make sure it has been charged for 10 hours, otherwise it would be damaged and couldn't repair anymore.

Don't use the product in any dangerous place such as street, road and landslide. And children only use it under the supervisor of adults.

The car only could carry one child. The maximum load capacity is 30KG.

Please fasten the seat belt and make sure your child is in the seat all the time. Don't let your child behave dangerously or stand when the car runs.

When the car runs, don't press the forward or backward switch suddenly.

Don't use the product in narrow space in case to crash expensive things and damage the car.

Please check the car and the charger on a regular basis. Check the wires, plugs, shell packaging and other parts to see whether they are damaged. If they are damaged, stop to use the car at once. Use it when fixed.

If don't use the car for a long time, please turn off the power and remove the batteries.

Children only can use the product under the care of adults.

Safety service life: 3 years.

WWW.LEANTOYS.PL